

which is (capable of) rapidly releasing said compound having a free amino group in response to changes in pH.

c<sup>1</sup> 2. (amended) The preparation according to claim 1, wherein said compound having a free amino group selected from the group consisting of doxorubicin, peptides, proteins, enzymes and amino acid derivatives is a pharmaceutical compound.

---

c<sup>2</sup> 5. (amended) The preparation according to claim 1, wherein at least one of said compound having a free amino group selected from the group consisting of doxorubicin, peptides, proteins, enzymes and amino acid derivatives, said sugar having the reducing power, and said compound which can be obtained by reacting said compound having a free amino group with said sugar having the reducing power is modified with, or included in a pharmaceutical carrier.

---

c<sup>3</sup> 7. (amended) The preparation according to claim 5 or 6, wherein said compound having a free amino group selected from the group consisting of doxorubicin, peptides, proteins, enzymes and amino acid derivatives is included in said pharmaceutical carrier.

---

c<sup>4</sup> 9. (amended) The preparation according to claim 2, wherein at least one of said pharmaceutical compound, said sugar having the reducing power, and said compound which can be obtained by reacting said pharmaceutical compound with said sugar having the reducing power, is modified with or included in a pharmaceutical carrier.

---

c5 13. (amended) The preparation according to claim 3, wherein at least one of said compound having a free amino group selected from the group consisting of peptides, proteins, enzymes and amino acid derivatives, said sugar having the reducing power, and said compound which can be obtained by reacting said compound having a free amino group with said sugar having the reducing power is modified with or included in a pharmaceutical carrier.

c6 17. (amended) The preparation according to Claim 4, wherein at least one of insulin, said sugar having the reducing power, and said compound which can be obtained by reacting insulin with said sugar having the reducing power is modified with or included in a pharmaceutical carrier.

c7 21. (amended) The preparation according to claim 1, wherein said compound having a free amino group selected from the group consisting of doxorubicin, peptides, proteins, enzymes and amino acid derivatives is a peptide.

c8 23. (amended) The preparation according to claim 21, wherein at least one of said peptide, said sugar having the reducing power, and said compound which can be obtained by reacting said peptide with said sugar having the reducing power, is modified with or included in a pharmaceutical carrier.

c9 27. (amended) The preparation according to claim 22, wherein at least one of enkephalin, said sugar having the reducing power, and said compound which can be

obtained by reacting enkephalin with said sugar having the reducing power, is modified with or included in a pharmaceutical carrier.

---